

Epi Profile

HIV/AIDS cases and rates (per 100,000 population) in JMR [Jackson/Madison Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	0	0	a	*	*	a
Black, not Hispanic	*	*	a	*	*	a	7	70	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	10	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	0	0	*	*
25-34	*	*	0	0	*	*
35-44	*	*	*	100	5	50
45-54	*	*	0	0	*	*
55-64	0	0	0	0	0	0
>=65	0	0	0	0	0	0
Total	8	100	*	100	10	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	*	*	a	a	*	*
Injection drug use (IDU)	0	0	0	0	0	0
Male-to-male sex and IDU	*	*	a	a	*	*
Heterosexual contact	*	*	*	100	6	60
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	0	0	0	0	0
Total	8	100	*	100	10	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	0	0	*	*	0	0	0	0	0	0	0	0	*	*
Injection drug use (IDU)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male-to-male sex and IDU	*	100	0	0	0	0	0	0	0	0	0	0	*	*
Heterosexual contact	0	0	*	*	*	100	0	0	0	0	0	0	6	60
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	*	100	7	100	*	100	0	0	0	0	0	0	10	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	*	100	*	100	10	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	*	100	*	100	10	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	0	0	a	*	*	a
Black, not Hispanic	*	*	a	0	0	a	*	*	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	5	100	a	0	0	a	5	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	9	*	181
Females	*	*	*	5	*	52
Total	13	14	8	14	10	233

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	5	*	86
Black, not Hispanic	9	6	5	9	7	138
Hispanic	0	*	0	0	*	8
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	0	*	0	0	0
Total	13	14	8	14	10	233

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	*	*	*	75
White, not Hispanic: Female	0	*	0	*	0	11
Black, not Hispanic: Male	6	*	*	5	6	99
Black, not Hispanic: Female	*	*	*	*	*	39
Hispanic: Male	0	*	0	0	*	6
Hispanic: Female	0	0	0	0	*	2
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	13	14	8	14	10	233

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	*	0	2
13-14	0	0	0	0	0	0
15-24	*	*	0	*	*	29
25-34	*	6	*	*	*	87
35-44	*	6	7	*	5	73
45-54	5	0	0	*	*	32
55-64	0	*	0	*	0	5
>=65	0	0	*	0	0	5
Total	13	14	8	14	10	233

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	7	*	*	*	*	108
Injection drug use (IDU)	*	*	*	*	0	34
Male-to-male sex and IDU	0	*	*	0	*	15
Heterosexual contact	*	*	*	7	6	50
Mother with/at risk for HIV	0	0	0	*	0	2
Other/unknown	*	*	0	*	0	24
Total	13	14	8	14	10	233

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	0	*	*	63
Females	*	*	*	*	*	27
Total	6	9	*	8	5	90

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	0	*	0	27
Black, not Hispanic	*	*	*	6	*	59
Hispanic	0	*	0	0	*	4
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	*	0	0
Total	6	9	*	8	5	90

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	0	*	0	23
White, not Hispanic: Female	0	*	0	0	0	4
Black, not Hispanic: Male	*	*	0	*	*	37
Black, not Hispanic: Female	*	*	*	*	*	22
Hispanic: Male	0	*	0	0	0	3
Hispanic: Female	0	0	0	0	*	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	6	9	*	8	5	90

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	*	0	2
13-14	0	0	0	0	0	0
15-24	0	*	0	*	*	11
25-34	*	5	*	*	0	37
35-44	*	*	*	*	*	30
45-54	*	0	0	*	*	8
55-64	0	*	0	*	0	2
>=65	0	0	0	0	0	0
Total	6	9	*	8	5	90

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative cases through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	0	*	*	37
Injection drug use (IDU)	0	*	*	0	0	12
Male-to-male sex and IDU	0	*	0	0	0	3
Heterosexual contact	*	*	*	*	*	25
Mother with/at risk for HIV	0	0	0	*	0	2
Other/unknown	*	*	0	*	0	11
Total	6	9	*	8	5	90

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	*	118
Females	*	*	*	*	*	25
Total	11	*	7	9	9	143

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	0	*	*	*	59
Black, not Hispanic	10	*	*	6	7	79
Hispanic	0	*	*	0	*	4
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	0	0	*	0	0
Total	11	*	7	9	9	143

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	0	*	*	*	52
White, not Hispanic: Female	0	0	0	*	0	7
Black, not Hispanic: Male	9	*	*	*	5	62
Black, not Hispanic: Female	*	*	*	*	*	17
Hispanic: Male	0	*	0	0	*	3
Hispanic: Female	0	0	*	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	11	*	7	9	9	143

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	0	0	*	0	10
25-34	*	0	*	*	*	49
35-44	*	*	5	*	*	48
45-54	*	0	0	*	*	26
55-64	*	0	*	0	0	5
>=65	0	0	0	0	0	5
Total	11	*	7	9	9	143

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	7	0	*	*	*	71
Injection drug use (IDU)	*	*	0	*	*	22
Male-to-male sex and IDU	0	0	*	0	*	12
Heterosexual contact	*	0	*	*	5	25
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	0	0	0	13
Total	11	*	7	9	9	143

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	104	112	115	121	124
Females	27	31	33	37	39
Total	131	143	148	158	163

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	42	46	49	51	49
Black, not Hispanic	87	91	94	102	107
Hispanic	2	6	5	5	7
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
Total	131	143	148	158	163

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	38	40	43	45	43
White, not Hispanic: Female	*	6	6	6	6
Black, not Hispanic: Male	65	67	67	71	75
Black, not Hispanic: Female	22	24	27	31	32
Hispanic: Male	*	*	5	5	6
Hispanic: Female	*	*	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0
Total	131	143	148	158	163

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	0	0	0	*	*
15-24	*	*	*	6	7
25-34	22	24	25	27	28
35-44	53	62	65	69	72
45-54	38	38	39	40	40
55-64	8	8	8	9	9
>=65	7	7	7	6	6
Total	131	143	148	158	163

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	66	67	70	71	71
Injection drug use (IDU)	22	25	26	27	26
Male-to-male sex and IDU	5	6	7	7	7
Heterosexual contact	23	27	28	34	40
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
Total	131	143	148	158	163

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	5	57
Females	*	*	*	*	0	13
Total	5	*	*	*	5	70

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and race/ethnicity

Race/ethnicity	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	0	0	*	*	37
Black, not Hispanic	*	*	*	*	*	31
Hispanic	0	0	*	0	0	1
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	5	*	*	*	5	70

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	0	0	*	*	32
White, not Hispanic: Female	0	0	0	*	0	5
Black, not Hispanic: Male	*	*	*	*	*	24
Black, not Hispanic: Female	*	0	0	0	0	7
Hispanic: Male	0	0	0	0	0	0
Hispanic: Female	0	0	*	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	5	*	*	*	5	70

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	0
25-34	*	0	0	0	*	17
35-44	*	0	*	*	*	28
45-54	0	*	0	*	*	19
55-64	*	*	0	0	0	3
>=65	0	0	0	*	0	3
Total	5	*	*	*	5	70

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and exposure category

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	37
Injection drug use (IDU)	*	*	0	0	*	8
Male-to-male sex and IDU	0	0	0	0	*	8
Heterosexual contact	*	0	*	*	0	10
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	0	*	*	0	7
Total	5	*	*	*	5	70

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.